

# **WESTERN** POTHOLE **REPAIR**

## **HIGH PERFORMANCE COMMERCIAL GRADE COLD-MIX**



### **WESTERN POTHOLE REPAIR**

Western Pothole Repair is a specially formulated bituminous patching mix, designed to be applied from -20°C to 40°C without the necessity of paving equipment or specialized personnel. After proper compaction the pothole is immediately ready for traffic.

This product was specifically developed to meet Manitoba Infrastructure Specifications (APL104-1) it utilizes the latest technology and proprietary additives that improve cohesion and adhesion properties while maintaining stockpile workability in excess of one year. WPR is approved by Manitoba, Saskatchewan, and Alberta Transport Agencies.

### **FEATURES**

- ✓ **READY TO USE**
- ✓ **NO MIXING, TRACKING OR HEATING**
- ✓ **MAINTAINS STOCKPILE WORKABILITY FOR 1 YEAR +**
- ✓ **WATER RESISTANT**
- ✓ **ENVIRONMENTALLY SAFE**
- ✓ **WORKABLE IN ALL SEASONS**



## FOR BEST RESULTS

- Use a broom to sweep debris from the pothole/ utility cut.
- Apply Western Pothole Repair in increments to avoid over filling, spread evenly within the depression.
- Use a tamper or other method to compress each layer until even with existing surface.
- For deep holes, fill using 2 inch layers and compress each layer before adding another one.
- Avoid parking on the repair for the first 30-60 days.

## PRODUCT SPECIFICATIONS

Western Pothole Repair contains 100% crushed mineral aggregate with the following properties:

Sieve Size	% Passing
12.5 mm	100%
9.5 mm	90-100%
4.75 mm	50-85%
2.0 mm	5-30%
425 µm	0-5%
75 µm	0-2%

Test	Specification	Method
Absorption	3% max	ASTM C127
LA Abrasion	40% max	ASTM C136

**AVAILABLE IN:** ☐ 22.7 kg Bags ☐ Pallets of bags ☐ Bulk



**WESTERN ASPHALT**  
products

**Alberta**  
**(780)796-3437**

**Saskatchewan**  
**(306)271-0727**

**Manitoba**  
**(204)725-9538**

**Online**  
**WesternAsphalt.ca**